



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 9410

| SERIAL NUMBER | FILING or 371(c) DATE | CLASS | GROUP ART UNIT | ATTORNEY DOCKET NO. | | |
|---|---|--|--|---------------------------------|---------------------|---------------------------|
| 10/523,955 | 09/23/2005 | 062 | 3744 | U 015625-9 | | |
| RULE | | | | | | |
| APPLICANTS Ned P Baudat, Sugar Land, TX; Anthony P Eaton, Sugar Land, TX; Phillip D Ritchie, Bastrop, TX; Paul R Hahn, Houston, TX; Jame Yao, Sugar Land, TX; Rong-Jwyn Lee, Sugar Land, TX; | | | | | | |
| ** CONTINUING DATA ***** This application is a 371 of PCT/US03/35657 11/10/2003 | | | | | | |
| ** FOREIGN APPLICATIONS ***** | | | | | | |
| ** IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** | | | | | | |
| Foreign Priority claimed <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 35 USC 119(a-d) conditions met <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Met after Allowance | STATE OR COUNTRY | SHEETS DRAWINGS | TOTAL CLAIMS | INDEPENDENT CLAIMS |
| Verified and | /WILLIAM CHARLES DOERRLER/ | Initials | TX | 4 | 94 | 4 |
| Acknowledged | Examiner's Signature | | | | | |
| ADDRESS LADAS & PARRY LLP 26 WEST 61ST STREET NEW YORK, NY 10023 UNITED STATES | | | | | | |
| TITLE Enhanced methane flash system for natural gas liquefaction | | | | | | |
| FILING FEE RECEIVED 4930 | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | | <input type="checkbox"/> All Fees | | | |
| | | | <input type="checkbox"/> 1.16 Fees (Filing) | | | |
| | | | <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) | | | |
| | | | <input type="checkbox"/> 1.18 Fees (Issue) | | | |
| | | | <input type="checkbox"/> Other _____ | | | |
| | | | | <input type="checkbox"/> Credit | | |